AUTHOR INDEX

Achard, J. C., L27
Ahlzén, P.-J., 269
Allemand, J., 295
Almasri, Z., 321
Andersson, Y., 269
Andruszkiewicz, R., 257
Averdunk, F., 135

Bach, H., 109
Bara, J. J., 185
Bauer, K., 279
Benedict, U., L11
Berger, R., 101, 165
Bernards, T. M. N., 245, 355
Bhat, N. P., L1
Bogdanović, B., 337
Bolmgren, H., 341
Boonstra, A. H., 245, 355
Borgstedt, H. U., L1
Bortz, M., 17
Bronger, W., 25, 31, 299
Büchler, H., 347

Calka, A., L23
Canepa, F., L33
Chen, R. Z., L5
Czybulka, A., 303

Ding, J., 263, 369
Drożdżyński, J., 233

Eggenhoffner, R., L33
El-Boragy, M., 147
Ellner, M., 147
Eriksson, L,, 101, 165

Fan, Z., 49
Franzen, H. F., L37
Furuya, H., 213

Garcia, E., 159
Gerward, L., L11
Gonzalez-Calbet, J. M., 159
Gudat, A., 31

Hashizume, K., 213
Hayamizu, K., 61
Hayashi, S., 61
Heidebrecht, K., 17
Higashi, I., 341
Hintzen, H. T., 331
Hoffman, R., 279
Hoppe, R., 135, 279
Horyń, R., 257
Hrynkiewicz, H. U., 185
Huber, J. G., 223

Ichigi, T., 213
Ishikawa, H., 193
Iwakura, C., 193

Jacobs, H., 175
Jäger, S., 25
Jankowski, A. F., 115
Jansen, K., 299
Jansen, M., 17
Jeitschko, W., 125
Ji, C., 49
Jiang, X., 227
Jin, P., 227
Jung, W., 375

Kaczorowski, D., 239
Kato, A., 193
Kim, S.-R., 37
Kinneging, A. J., 331
Kniep, R., 31
Kritikos, M., 337
Künne, L., 321
Kuriyama, N., 193

Lang, Ch., 1
Latroche, M., L27
Lee, J.-Y., 37
Lenz, A., 141, L15
Liu, J. Q., L5
Lundström, T., 341
Luo, H., L11
Lutz, H. D., 7

Milos, A., 185
Miyamura, H., 193
Müller, P., 299
Müller-Buschbaum, Hk., 1, 141, L15

Nasar, A., 87, 93
Noël, H., 239
Noreus, D., 337

Oguro, K., 193
Okada, S., 341

Paccard, D., 295
Paccard, L., 295
Paul-Boncour, V., L27
Percheron-Guegan, A., L27
Petersen, A., 303
Pilkington, N. J., 203
Pollmeier, P. G., 125

Rabenau, A., 31
Radlinski, A. P., L23
Ramsden, J. D., 223
Range, K.-J., 279, 347
Rao, K. V. S., L19
Rao, U. V. S., L19
Ravot, D., 313
Reinbold, E. J., 125
Rennau, R., 25
Renz, I., 109
Rosenberg, M., 263, 369
Rundqvist, S., 269
Ruschewitz, U., 31

Sakai, T., 193
Schmidt, Th., 7
Schmitz, D., 25
Schuster, H.-U., 303
Selvam, P., 77
Shamsuddin, M., 87, 93
Siva Kumar, J., L19
Sprenger, S., 109
Srinivasan, V., 77
Staun Olsen, J., L11
Sugisaki, M., 213
Szytuła, A., 185

Tellgren, R., 269
Terbüchte, L. J., 125
Tergenius, L-E., 341
Troć, R., 239
Turchi, P. E. A., 115

Vallet-Regi, M., 159
Viswanathan, B., 77
Vomhof, T., 125

Wall, M. A., 115
Wilczok, U., 337

Xu, Y. N., L5

Yao, X., L37

Zachwieja, U., 175
Zhao, Z., 49
Zych, E., 233

SUBJECT INDEX

Alloy electrodes
  some factors affecting the cycle lives of $LaNi_5$-based alloy electrodes of hydrogen batteries, 193
Alloys
  crystallized melt spun $Sm(Fe_{10-x}Co_x)_{11}Ti$ alloys with $(BH)_{max}$ products larger than 90 kJ m^{-3} (11.3 MGOe), 263
  magnetic hardening of melt-spun and crystallized Sm–Fe–V and Sm–(Fe, Co)–V alloys, 369
Aluminium
  effect of thermal cycling on the hydriding rate of $MmNi_{4.5}Al_{0.5}$, 37
  information on manganese types: high pressure synthesis and structure refinement of $AlAu_4$, 347
  lithium-platinum-Al(Ga, In) alloy: a new coloured ternary intermetallic phase, 303
Antimony
  thermoelectric power measurements on vacuum-deposited Sb_2O_3 thin films, L19
Arsenides
  phosphides and arsenides with the $ZrFe_4Si_2$-type structure, 125
Auger electron spectroscopy
  ion-induced carbide formation of TiFe: evidence from XPS and AES studies, 77

Barium
  Ba_2EuIrO_6—a single-crystal study of a 6L-perovskite-like structure, 1
  crystal chemistry of compositions $\{M^a_{1-(x-2y)}\square_{x-2y}\}\{M^b_{1-x-y}Ln_x\square_y\}2Ln_6O_{12}$ (M^a, $M^b \equiv$ Ba, Sr, Ca; Ln ≡ In, Sc, Y, lanthanide), 331
  note on the system of perovskites with Bi^{5+}: Ba_2BiMo_6 (M ≡ Y, Dy), L15
  standard Gibbs free energy of formation of superconducting $YBa_2Cu_3O_x$ and related compounds in the Y_2O_3–BaO–CuO system, 49
  structural intergrowths in iron substituted Y–Ba–Cu–O, 159
Batteries
  some factors affecting the cycle lives of $LaNi_5$-based alloy electrodes of hydrogen batteries, 193
Bismuth
  Bi^{5+} in a monoclinic distorted perovskite Sr_2BiNdO_6, 141
  note on the system of perovskites with Bi^{5+}: Ba_2BiMo_6 (M ≡ Y, Dy), L15
Borides
  formation of TiB_2 by mechanical alloying, L23
Boron
  crystal structure of Ta_5B_6, 341

Calcium
  $CaPdH_2$, a ternary hydride with a perovskite-like structure, 299
  crystal chemistry of compositions $\{M^a_{1-(x-2y)}\square_{x-2y}\}\{M^b_{1-x-y}Ln_x\square_y\}2Ln_6O_{12}$ (M^a, $M^b \equiv$ Ba, Sr, Ca; Ln ≡ In, Sc, Y, lanthanide), 331
  on the phase relations in the Mo–Ca–S, S–Mo–O and Ca–S–O systems at 1373 K, 257
Carbides
  compression of ThC to 50 GPa, L11
  ion-induced carbide formation of TiFe: evidence from XPS and AES studies, 77
Cerium
  resistivity of ferromagnetic CePt, 223
Cesium
  $K_2Pt_4Se_6$, $Rb_2Pt_4Se_6$, $Cs_2Pt_4Se_6$, preparation and structure, 25
Chemical pressure effects
  investigation about chemical pressure effects on praseodymium intermetallics: II The $Pr_{1-x}Y_xRh$ family, L33
Chromium
  system NiS–Cr_2S_3–In_2S_3, 7
Cobalt
  crystallized melt spun $Sm(Fe_{10-x}Co_x)_{11}Ti$ alloys with $(BH)_{max}$ products larger than 90 kJ m^{-3} (11.3 MGOe), 263
  investigation of interstitial bonding of transition metals (Mn, Fe, Co) in Zr-octahedra, 321
Compression
  compression of ThC to 60 GPa, L11
Copper
  ammonothermal synthesis of copper nitride, Cu_3N, 175

anomalous magnetic and electrical behaviour of a complex phosphide $U_4Cu_4P_7$, 239
crystal structure and properties of $TlCu_6S_4$, 165
crystal structure refinement of monoclinic $TlCu_3Se_2$, 101
investigation of the phase diagram of the ternary La–Cu–Ti system, L5
crystal structure of $Cu_{0.46}Nb_6S_{2.54}$, L37
standard Gibbs free energy of formation of superconducting $YBa_2Cu_3O_x$ and related compounds in the Y_2O_3–BaO–CuO system, 49
structural intergrowths in iron substituted Y–Ba–Cu–O, 159

Corrosion
corrosion reactions of liquid sodium with platinum, L1

Crystal chemistry
crystal chemistry of compositions $\{M^a_{1-(x-2y)}\square_{x-2y}\}\{M^b_{1-x-y}Ln_x\square_y\}2Ln_6O_{12}$ (M^a, $M^b \equiv$ Ba, Sr, Ca; Ln ≡ In, Sc, Y, lanthanide), 331

Deuterium
neutron diffraction study of Zr_3PD_{3-x}, 269

Doping
on the mechanism of toughness of doped molybdenum sheets, 227

Dysprosium
note on the system of perovskites with Bi^{5+}: Ba_2BiMo_6 (M ≡ Y, Dy), L15
RFe_xSi_2 (R ≡ Tb, Dy, Ho, Er, Lu) structures with the non-stoichiometric $TbFeSi_2$ type, 295

Electrical behaviour
anomalous magnetic and electrical behaviour of a complex phosphide U_4CuP_7, 239

Electrodes
effect of the electrolyte on the degradation process of $LaNi_5$ electrodes, 355
influence of the pretreatment of powder on the resulting properties of $LaNi_5$ electrodes, 345

Electrolyte
effect of the electrolyte on the degradation process of $LaNi_5$ electrodes, 355

Erbium
RFe_xSi_2 (R ≡ Tb, Dy, Ho, Er, Lu) structures with the non-stoichiometric $TbFeSi_2$ type, 295

Europium
Ba_2EuIrO_6—a single-crystal study of a 6L-perovskite-like structure, 1
$La_2Rh_5B_4$, $Eu_2Rh_5B_4$ and $Eu_3Rh_8B_6$-lanthanoid-rhodiumboride in the homologous series $A_nRh_{3n-1}B_{2n}$, 375
structure in the melt of the monotectic system Eu–La, 109
synthesis and magnetic properties of the $Pb_{1-x}Eu_xTe$ solid solution, 313

Ferromagnetism
resistivity of ferromagnetic CePt, 223

Fluorine
crystal structure of MoF_3, 135

Gallium
lithium-platinum-Al(Ga, In) alloy: a new coloured ternary intermetallic phase, 303

Germanium
investigation of the crystal properties of RFe_2Si_2 and RFe_2Ge_2 by X-ray diffraction and Mössbauer spectroscopy, 185
on the stability of isotypes of $Pd_{25}Ge_9$, 147

Gold
information on manganese types: high pressure synthesis and structure refinement of $AlAu_4$, 347

Holmium
$ReFe_xSi_2$ (R ≡ Tb, Dy, Ho, Er, Lu) structures with the non-stoichiometric $TbFeSi_2$ type, 295

Hydriding
effect of thermal cycling on the hydriding rate of $MmNi_{4.5}Al_{0.5}$, 37

Hydrogen isotypes
heat of transport Q^* of tritium in vanadium: general characteristics of Q^* of hydrogen isotopes in group V metals, 213

Indium
crystal chemistry of compositions $\{M^a_{1-(x-2y)}\square_{x-2y}\}\{M^b_{1-x-y}Ln_x\square_y\}2Ln_6O_{12}$ (M^a, $M^b \equiv$ Ba, Sr, Ca; Ln ≡ In, Sc, Y, lanthanide), 331
lithium-platinum-Al(Ga, In) alloy: a new coloured ternary intermetallic phase, 303
system NiS–Cr_2S_3–In_2S_3, 7

Ion induction
ion-induced carbide formation of TiFe: evidence from XPS and AES studies, 77

Iridium
Ba_2EuIrO_6—a single crystal study of a 6L-perovskite-like structure, 1

Lanthanides
Crystal chemistry of compositions $\{M^a_{1-(x-2y)}\square_{x-2y}\}\{M^b_{1-x-y}Ln_x\square_y\}2Ln_6O_{12}$ (M^a, $M^b \equiv$ Ba, Sr, Ca; Ln ≡ In, Sc, Y, lanthanide), 331
Lanthanum
effect of the electrolyte on the degradation process of $LaNi_5$ electrodes, 355
influence of the pretreatment of powder on the resulting properties of $LaNi_5$ electrodes, 245
investigation of the phase diagram of the ternary La–Cu–Ti system, L5
$La_2Rh_5B_4$, $Eu_2Rh_5B_4$ and $Eu_3Rh_8B_6$-lanthanoid-rhodiumboride in the homologous series $A_nRh_{3n-1}B_{2n}$, 375
some factors affecting the cycle lives of $LaNi_5$-based alloy electrodes of hydrogen batteries, 193
structure in the melt of the monotectic system Eu–La, 109
Lead
$Ag_5Pb_2O_6$, a subvalent oxide, 17
synthesis and magnetic properties of the $Pb_{1-x}Eu_xTe$ solid solution, 313
Lithium
Li_3FeN_2, a ternary nitride with $^1_\infty[FeN^{3-}_{4/2}]$ chains: crystal structure and magnetic properties, 31
lithium-platinum-Al(Ga, In) alloy: a new coloured ternary intermetallic phase, 303
Lutetium
RFe_xSi_2 (R ≡ Tb, Dy, Ho, Er, Lu) structures with the non-stoichiometric $TbFeSi_2$ type, 295

Magnesium
Mg_2OsH_6—a ternary hydride with the K_2PtCl_6-type structure, 337
Magnetic behaviour
anomalous magnetic and electrical behaviour of a complex phosphide U_4CuP_7, 239
Magnetic hardening
magnetic hardening of melt-spun and crystallized Sm–Fe–V and Sm–(Fe, Co)–V alloys, 369
Magnetic properties
Li_3FeN_2, a ternary nitride with $^1_\infty[FeN^{3-}_{4/2}]$ chains: crystal structure and magnetic properties, 31
synthesis and magnetic properties of the $Pb_{1-x}Eu_xTe$ solid solution, 313
Manganese
effect of thermal cycling on the hydriding rate of $MmNi_{4.5}Al_{0.5}$, 37
investigation of interstitial bonding of transition metals (Mn, Fe, Co) in Zr-Octahedra, 321
Mechanical alloying
formation of TiB_2 by mechanical alloying, 523
Melt spinning
crystallized melt spun $Sm(Fe_{10-x}Co_x)_{11}Ti$ alloys with $(BH)_{max}$ products larger than 90 kJ m^{-3} (11.3 MGOe), 263
magnetic hardening of melt-spun and crystallized Sm–Fe–V and Sm–(Fe, Co)–V alloys, 369
Mercury
thermodynamic investigations of HgTe, 87
Molybdenum
crystal structure of MoF_3, 135
information on $K[Mo_4O_6]$, 279
note on the system of perovskites with Bi^{5+}: Ba_2BiMo_6 (M ≡ Y, Dy), L15
on the mechanism of toughness of doped molybdenum sheets, 227
on the phase relations in the Mo–Ca–S, S–Mo–O and Ca–S–O systems at 1373 K, 257
Mössbauer spectroscopy
investigation of the crystal properties of RFe_2Si_2 and RFe_2Ge_2 by X-ray diffraction and Mössbauer spectroscopy, 185

Neodymium
Bi^{5+} in a monoclinic distorted perovskite Sr_2BiNdO_6, 141
Neutron diffraction
neutron diffraction study of Zr_3PD_{3-x}, 269
Nickel
effect of the electrolyte on the degradation process of $LaNi_5$ electrodes, 355
effect of thermal cycling on the hydriding rate of $MmNi_{4.5}Al_{0.5}$, 37
influence of the pretreatment of powder on the resulting properties of $LaNi_5$ electrodes, 245
some factors affecting the cycle lives of $LaNi_5$-based alloy electrodes of hydrogen batteries, 193
structure determination of $Y_{0.95}Ni_2$ by X-ray powder diffraction, L27
system $NiS–Cr_2S_3–In_2S_3$, 7
Niobium
crystal structure of $Cu_{0.46}Nb_6S_{2.54}$, L37

Nitrides
ammonothermal synthesis of copper nitride, Cu_3N, 175
Li_3FeN_2, a ternary nitride with $^1_\infty[FeN^{3-}_{4/2}]$ chains: crystal structure and magnetic properties, 31
NMR
X-ray diffraction and ^1H and ^{51}V NMR study of the Ti–V–H system, 61

Osmium
Mg_2OsH_6—a new ternary hydride with the K_2PtCl_6-type structure, 337

Palladium
$CaPdH_2$, a ternary hydride with a perovskite-like structure, 299
crystallization of amorphous Ti–Pd, 115
on the stability of isotypes of $Pd_{25}Ge_9$, 147
Perovskites
Ba_2EuIrO_6— a single-crystal study of a 6L-perovskite-like structure, 1
Bi^{5+} in a monoclinic distorted perovskite Sr_2BiNdO_6, 141
$CaPdH_2$, a ternary hydride with a perovskite-like structure, 299
note on the system of perovskites with Bi^{5+}: Ba_2BiMo_6 (M ≡ Y, Dy), L15
Phase diagrams
investigation of the phase diagram of the ternary La–Cu–Ti system, L5
Phase relations
on the phase relations in the Mo–Ca–S, S–Mo–O and Ca–S–O systems at 1373 K, 257
Phosphides
anomalous magnetic and electrical behaviour of a complex phosphide U_4CuP_7, 239
phosphides and arsenides with the $ZrFe_4Si_2$-type structure, 125
Platinum
$K_2Pt_4Se_6$, $Rb_2Pt_4Se_6$, $Cs_2Pt_4Se_6$, preparation and structure, 25
corrosion reactions of liquid sodium with platinum, L1
Mg_2OsH_6—a new ternary hydride with the K_2PtCl_6-type structure, 337
resistivity of ferromagnetic CePt, 223
Potassium
information on $K[Mo_4O_6]$, 279
$K_2Pt_4Se_6$, $Rb_2Pt_4Se_6$, $Cs_2Pt_4Se_6$, preparation and structure, 25
Mg_2OsH_6—a new ternary hydride with the K_2PtCl_6-type structure, 337

Powder
influence of the pretreatment of powder on the resulting properties of $LaNi_5$ electrodes, 245
Praseodymium
investigation about chemical pressure effects on praseodymium intermetallics: II The $Pr_{1-x}Y_xRh$ family, L33

Radioactive waste
solubility of technetium in the near-field environment of a radioactive waste repository, 203
Rare earths
investigation of the crystal properties of RFe_2Si_2 and RFe_2Ge_2 by X-ray diffraction and Mössbauer spectroscopy, 185
Resistivity
resistivity of ferromagnetic CePt, 223
Rhodium
investigation about chemical pressure effects on praseodymium intermetallics: II The $Pr_{1-x}Y_xRh$ family, 533
$La_2Rh_5B_4$, $Eu_2Rh_5B_4$ and $Eu_3Rh_8B_6$-lanthanoid-rhodiumboride in the homologous series $A_nRh_{3n-1}B_{2n}$, 375
Rubidium
$K_2Pt_4Se_6$, $Rb_2Pt_4Se_6$, $Cs_2Pt_4Se_6$, preparation and structure, 25

Samarium
crystallized melt spun $Sm(Fe_{10-x}Co_x)_{11}Ti$ alloys with $(BH)_{max}$ products larger than 90 kJ m^{-3} (11.3 MGOe), 263
magnetic hardening of melt-spun and crystallized Sm–Fe–V and Sm–(Fe, Co)–V alloys, 369
Selenium
crystal structure refinement of monoclinic $TlCu_3Se_2$, 101
$K_2Pt_4Se_6$, $Rb_2Pt_4Se_6$, $Cs_2Pt_4Se_6$, preparation and structure, 25
Silicon
investigation of the crystal properties of RFe_2Si_2 and RFe_2Ge_2 by X-ray diffraction and Mössbauer spectroscopy, 185
Silver
$Ag_5Pb_2O_6$, a subvalent oxide, 17
Sodium
corrosion reactions of liquid sodium with platinum, L1
Strontium
Bi^{5+} in a monoclinic distorted perovskite Sr_2BiNdO_6, 141

crystal chemistry of compositions $\{M^a_{1-(x-2y)}\square_{x-2y}\}\{M^b_{1-x-y}Ln_x\square_y\}2Ln_6O_{12}$ (M^a, $M^b \equiv$ Ba, Sr, Ca; Ln ≡ In, Sc, Y, lanthanide), 331
Superconductivity
standard Gibbs free energy of formation of superconducting $YBa_2Cu_3O_x$ and related compounds in the Y_2O_3–BaO–CuO system, 49

Tantalum
crystal structure of Ta_5B_6, 341
Technetium
solubility of technetium in the near-field environment of a radioactive waste repository, 203
Tellurium
synthesis and magnetic properties of the $Pb_{1-x}Eu_xTe$ solid solution, 313
thermodynamic investigations of HgTe, 87
thermodynamic properties of ZnTe, 93
Terbium
RFe_xSi_2 (R ≡ Tb, Dy, Ho, Er, Lu) structures with the non-stoichiometric $TbFeSi_2$ type, 295
Ternary hydrides
$CaPdH_2$, a ternary hydride with a perovskite-like structure, 299
Mg_2OsH_6—a new ternary hydride with the K_2PtCl_6-type structure, 337
Thallium
crystal structure and properties of $TlCu_6S_4$, 165
crystal structure refinement of monoclinic $TlCu_3Se_2$, 101
Thermal cycling
effect of thermal cycling on the hydriding rate of $MmNi_{4.5}Al_{0.5}$, 37
Thermodynamics
thermodynamic investigations of HgTe, 87
thermodynamic properties of ZnTe, 93
Thermoelectric power
thermoelectric power measurements on vacuum-deposited Sb_2O_3 thin films, L19
Thin films
thermoelectric power measurements on vacuum-deposited Sb_2O_3 thin films, L19
Thorium
compression of ThC to 50 GPa, L11
Titanium
crystallization of amorphous Ti–Pd, 115
crystallized melt spun $Sm(Fe_{10-x}Co_x)_{11}Ti$ alloys with $(BH)_{max}$ products larger than 90 kJ m^{-3} (11.3 MGOe), 263
formation of TiB_2 by mechanical alloying, L23
investigation of the phase diagram of the ternary La–Cu–Ti system, L5
ion-induced carbide formation of TiFe: evidence from XPS and AES studies, 77
X-ray diffraction and ^1H and ^{51}V NMR study of the Ti–V–H system, 61
Toughness
on the mechanism of toughness of doped molybdenum sheets, 227
Tritium
heat of transport Q^* of tritium in vanadium: general characteristics of Q^* of hydrogen isotopes in group V metals, 213

Uranium
anomalous magnetic and electrical behaviour of a complex phosphide U_4CuP_7, 239
chemistry of tervalent uranium. Preparation and properties of $NH_4UBr_4.1.5CH_3CN.6H_2O$, 233

Vanadium
heat of transport Q^* of tritium in vanadium: general characteristics of Q^* of hydrogen isotopes in group V metals, 213
magnetic hardening of melt-spun and crystallized Sm–Fe–V and Sm–(Fe, Co)–V alloys, 369
X-ray diffraction and ^1H and ^{51}V NMR study of the Ti–V–H system, 61

X-ray diffraction
investigation of the crystal properties of RFe_2Si_2 and RFe_2Ge_2 by X-ray diffraction and Mössbauer spectroscopy, 185
X-ray diffraction and ^1H and ^{51}V NMR study of the Ti–V–H system, 61
X-ray photoelectron spectroscopy
ion-induced carbide formation of TiFe: evidence from XPS and AES studies, 77
X-ray powder diffraction
structure determination of $Y_{0.95}Ni_2$ by X-ray powder diffraction, L27

Yttrium
investigation about chemical pressure effects on praseodymium intermetallics: II The $Pr_{1-x}Y_xRh$ family, L33
note on the system of perovskites with Bi^{5+}: Ba_2BiMo_6 (M ≡ Y, Dy), L15
standard Gibbs free energy of formation of

superconducting $YBa_2Cu_3O_x$ and related compounds in the Y_2O_3–BaO–CuO system, 49
structural intergrowths in iron substituted Y–Ba–Cu–O, 159
structure determination of $Y_{0.95}Ni_2$ by X-ray powder diffraction, L27
Zinc
thermodynamic properties of ZnTe, 93
Zirconium
investigation of interstitial bonding of transition metals (Mn, Fe, Co) in Zr-Octahedra, 321
neutron diffraction study of Zr_3PD_{3-x}, 269